

University of Mumbai



1T03412

SECOND HALF of (Winter) 2018

EXAMINATION TIME TABLE

PROGRAMME - M.E. (INSTRUMENTATION AND CONTROLS ENGG.)(Choice Based Credit & Grading System)
SEMESTER - II

Days and Dates	Time	Paper Code	Paper
15 November 2018	10:30 a.m. to 01:30 p.m.	34501	Electronics Systems Design
19 November 2018	10:30 a.m. to 01:30 p.m.	34502	State Estimation & Stochastic Process.
22 November 2018	10:30 a.m. to 01:30 p.m.	34503	Advanced Process Control & Automation.
26 November 2018	10:30 a.m. to 01:30 p.m.	34504	Elective I : Rehabilitation Engineering.
26 November 2018	10:30 a.m. to 01:30 p.m.	34505	Elective I : Advanced Fiber Optics & Laser Instrumentation
26 November 2018	10:30 a.m. to 01:30 p.m.	34506	Elective I : Advanced Nuclear Instrumentation
26 November 2018	10:30 a.m. to 01:30 p.m.	34507	Elective I : MEMS & Nanotechnology.
28 November 2018	10:30 a.m. to 01:30 p.m.	34508	ElectiveII: Project Management.
28 November 2018	10:30 a.m. to 01:30 p.m.	34509	ElectiveII: Finance Management.
28 November 2018	10:30 a.m. to 01:30 p.m.	34510	ElectiveII: Entrepreneurship Development & Management.
28 November 2018	10:30 a.m. to 01:30 p.m.	34511	ElectiveII: Human Resource Management.
28 November 2018	10:30 a.m. to 01:30 p.m.	34512	ElectiveII: Professional Ethics & Corporate Social Responsibility.
28 November 2018	10:30 a.m. to 01:30 p.m.	34513	ElectiveII: Research Methodology.
28 November 2018	10:30 a.m. to 01:30 p.m.	34514	ElectiveII: IPR & Patenting.
28 November 2018	10:30 a.m. to 01:30 p.m.	34515	ElectiveII: Digital Business Management.
28 November 2018	10:30 a.m. to 01:30 p.m.	34516	ElectiveII: Environmental Management.

Important Note: •The candidates appearing for the examination should report 20 minutes before the start of examination.

- Mobile phones and other electronic gadgets are prohibited in the examination hall.
- Change if any, in the time table shall be communicated on the university web site.

Mumbai - 400 098
3rd October, 2018.

Sd/-
(Prof. (Dr.) Arjun Ghatule)
Director
Board of Examinations & Evaluation

ST-284